

ITALIAN QUALITY PRODUCT



Modular
refrigerated
cabinets

COM-AS



COMFIT srl
Via Viberti, 4
10141 Torino - Italy
T. +39 011 720085
F. +39 011 728870
comfit@tiscali.it
www.comfit.org

Subject to change without notice
the technical characteristics of
the products shown. All rights
reserved. COMFIT srl, 05/2014

Aria nuova in laboratorio...

ITALIAN QUALITY PRODUCT

Our design and production flexibility allows custom refrigerated cabinets on custom needs.

Insulation


High density polyurethane foam 40-42 kg/mc, fire retarding according ISO 3582, CFC free.

Thermal conductivity coefficient Lambda 0,021W/mq °K
Transfer coefficient K.
Thicknesses 70 mm 3,30 W/mq °K

Thicknesses 100 mm 0,21 W/mq °K

Thicknesses 130 mm 0,16 W/mq °K


Compression resistance 1,5 – 2 Kg/cmq



Height panels


Standard cm 203-223-243-263-283-303-323

They are panels with heights of measurement.



Interior partitions.

May be:
Movable dividing.
Cam locks dividing



Inside rounded corners

It is possible to produce panels with rounded corners both for floor and walls.

COMFIT srl

Via Viberti, 4
10141 Torino - Italy
T. +39 011 720085
F. +39 011 728870

comfit@tiscali.it
www.comfit.org

Subject to change without notice the technical characteristics of the products shown. All rights reserved. COMFIT srl, 05/2014

Aria nuova in laboratorio...

ITALIAN QUALITY PRODUCT


Locking panels.

Male -Female nesting.
Connection with dual effect cam locks.



Type flooring refrigerator cabinet.

Galvanized steel sp. 7/10 mm thick with non-slip grey plating coating walk-in static load 2000kg/mq.
Stainless steel sheet 18/8 AISI 304 sp 6/10 mm.



Panels finishing.

Galvanized sheet steel sp. 6/10 with plastic coating in rigid white PVC 120 micron thick non toxic.
Galvanized sheet with plastic coating in different colours.
Stainless steel sheet 18/10 AISI 304 sp 6/10 mm scotch brig/dull external, natural finish inside cell.



Accessories

Hinges with spring for automatic closing.
Magnetic door seals.
Condensation heater 220V/50Hz for version BT.
Doors with key locks.
Resting feet steel adjustable.
Shelves

COMFIT srl

Via Viberti, 4
10141 Torino - Italy
T. +39 011 720085
F.+39 011 728870
comfit@tiscali.it
www.comfit.org

Subject to change without notice the technical characteristics of the products shown. All rights reserved. COMFIT srl, 05/2014

Aria nuova in laboratorio...